



SINCE 1848

SERVICE BODIES



F E A T U R E S


- Rugged 14-gauge two-sided A-40 galvaneal steel body shell. **With Knapheide's exclusive five-year warranty.**




- Complete undercoating provides extra protection from corrosion and road debris.



- Exclusive "Return Flange" floor design provides support for side compartments, adds floor strength, and eliminates rust-prone exposed seam between floor and side compartments.



- Double spring over center door closures on all vertical doors, keeps door in positive open or closed position.



- 250 lb. capacity adjustable divider shelves made of spangled galvanized steel. Limited quantity of dividers furnished standard. Divider slots on 4" centers. **With Knapheide's exclusive five-year warranty.**



Picture shown with optional bumper, hitch and slammable tailgate.



- Optional slammable tailgate shown. (Hook and chain style is standard). Slam lockable with one hand center release. Strong double panel construction has flat interior surface for work bench use.



- Exclusive "Quick Mount" installation permits quick, safe mounting of body and bumper, allows easy transfer from chassis to chassis (meets FMVSS301 requirements.)



- Interior light guards provide protection for optional recessed lighting and wiring package.



- Exclusive thick automotive bulb-type neoprene door seals protect compartment contents from weather.



- Exclusive all stainless steel continuous hinge provides superior corrosion protection, full length support for the doors and pry-proof security with a built-in weather shield. Hinge is supported with Knapheide's exclusive five year warranty.



- Double-shell, 20-gauge, two-sided A-40 galvanneal steel hat section reinforced doors for durability and long life.



- Exclusive adjustable "Security Ring" strikers provide strength, security and a weather tight seal throughout the life of the body.



- Paddle activated, rotary-style latches close easily and stay closed. Riveted latches can be removed for repair or replacement. With Knapheide's exclusive five-year warranty. T Handles Optional.

K-Coat Protection

CLEANING

Aggressive high pressure spraying and immersion combine to thoroughly clean all surfaces.



PRETREATMENT

Zinc phosphate and sealer immersion provides a corrosion inhibiting barrier while preparing the surfaces for greater paint adhesion.

ELECTROCOATING AND RINSE

Epoxy primer is applied by immersing the product in the positive charged tank. Paint solids are fused and electrically bonded to all surfaces. Unbonded paint is rinsed, leaving a smooth uniform thickness.



CURING

The E-coated product is baked at 340° for 42 minutes to cross link the coating, leaving a hard durable rust resistant finish.

5 Year Limited Warranty

- ▶ No rust through
- ▶ Door hinges will not fail or come off the body
- ▶ Latches and lock cylinders will not fail to operate.
- ▶ Shelves will not bend under max. load of 250 lb.


Defects from workmanship and/or material not specified above are covered with a one (1) year warranty.




FOR MORE INFORMATION ON WARRANTY GO TO:

www.knapheide.com>Products>Service Body>Warranty

40" CA SRW



56" CA SRW



BODIES

MODEL	TYPE	HEIGHT	WEIGHT*
680J	Standard	40"	1041 lb.
680LPJ	Low Profile	36"	982 lb.
680FJ	Flip Top (L)	37.25"	1087 lb.
680FJ40	Flip Top (H)	41.25"	1146 lb.

MODEL	TYPE	HEIGHT	WEIGHT*
696J	Standard	40"	1215 lb.
696LPJ	Low Profile	36"	1163 lb.
696FJ	Flip Top (L)	37.25"	1287 lb.
696FJ40	Flip Top (H)	41.25"	1338 lb.
696D38J*	Standard	40"	1256 lb.
696D38LPJ*	Low Profile	36"	1203 lb.
696D38FJ*	Flip Top	37.25"	1326 lb.

*D38 models (floor= 38"W; Compartments= 20"D)

TRUCKS


TRUCK*1	CAB	WB	GVWR
X20/X21	Super	142"	8,800 lb.
W20/W21	Crew	156"	8,800 lb.
X30/X31	Super	142"	9,900 lb.
X30/31	Crew	156"	9,900 lb.

TRUCK*1	CAB	WB	GVWR
F20/F21	Reg.	137"	8,800 lb.
X20/X21	Super	158"	8,800 lb.
W20/W21	Crew	172"	8,800 lb.
F30/F31	Reg.	137"	9,900 lb.
X30/X31	Super	158"	9,900 lb.
W30/W31	Crew	172"	9,900 lb.


*Approved for pickup box removal

*Pickup Box Delete (66D)

56" CA DRW



60" CA DRW



BODIES

MODEL	TYPE	HEIGHT	WEIGHT*
696D54J	Standard	40"	1402 lb.
696D54LPJ	Low Profile	36"	1347 lb.
696D54FJ	Flip Top (L)	37.25"	1470 lb.
696D54FJ40	Flip Top(H)	41.25"	1525 lb.

MODEL	TYPE	HEIGHT	WEIGHT*
6108D54J	Standard	40"	1508 lb.
6108D54LPJ	Low Profile	36"	1445 lb.
6108D54FJ	Flip Top (L)	37.25"	1580 lb.
6108D54FJ40	Flip Top (H)	41.25"	1643 lb.
6108XWJ*	Standard	40"	1473 lb.
6108XWLPJ*	Low Profile	36"	1409 lb.
6108XWFJ*	Flip Top	37.25"	1544 lb.

*XW model (floor= 65"W; compartments= 14.5"D)

TRUCKS

TRUCK*1	CAB	WB	GVWR**
F32/F33	Reg.	137	11,200 lb.
X32/X33	Super	158	11,200 lb.
W32/W33	Crew	172	11,200 lb.


CHASSIS CAB'	CAB	WB	GVWR**
F36/F37	Reg.	141"	11,200/12,500 lb.
X36/X37	Super	162"	11,200/12,500 lb.
W36/W37	Crew	176"	11,200/12,500 lb.
F46/F47	Reg.	141"	15,000 lb.
X46/X47	Super	162"	15,000 lb.
W46/W47	Crew	176"	15,000 lb.
F56/F57	Reg.	141"	17,500 lb.
X56/X57	Super	162"	17,500 lb.
W56/W57	Crew	176"	17,500 lb.

*Pickup Box Delete (66D)

**Models with diesel engine has 11,500 lb. GVWR


1. Chassis and body combinations are subject to the chassis manufacturer's requirements for certification.
2. Weight is the mounted weight including standard shelving and mounting kit plus optional Galva-Grip bumper with ball hitch plate. Applications and specifications subject to change without notice.

60" CA SRW



BODIES	MODEL	TYPE	HEIGHT	WEIGHT ²
	6108J	Standard	40"	1338 lb.
	6108LPJ	Low Profile	36"	1276 lb.
	6108FJ	Flip Top	37.25"	1411 lb.
TRUCKS	CHASSIS CAB'	CAB	WB	GVWR
	F34/F35	Reg.	141"	9,900 lb.
	X34/X35	Super	162"	9,900 lb.
	W34/W35	Crew	176"	9,900 lb.

84" CA DRW




BODIES	MODEL	TYPE	HEIGHT	WEIGHT ²
	6132D54J	Standard	40"	1818 lb.
	6132D54LPJ	Low Profile	36"	1740 lb.
	6132D54FJ	Flip Top (L)	37.25"	1904 lb.
	6132D54FJ40	Flip Top (H)	41.25"	1982 lb.
	6132XWJ*	Standard	40"	1769 lb.
*XW model (floor=65"W; compartments= 14.5"W)				
TRUCKS	CHASSIS CAB'	CAB	WB	GVWR
	F36/F37	Reg.	165"	11,200/12,500 lb.
	F46/F47	Reg.	165"	15,000 lb.
	W46/W47	Crew	200"	15,000 lb.
	F56/F57	Reg.	165"	17,500* lb.
	W56/W57	Crew	200"	17,500 lb.
*F56 with 84" CA also available with 19,000 lb. GVWR				

108" CA DRW Body model 6157D54J available for F46, 47, 56 & 57 chassis with 189" WB, Regular cab.

Plus 50 Models

(50% more effective storage capacity)

All models shown in *italic* in charts at left are available as plus 50



Plus 50 models feature transverse compartment in curb side front vertical extending to street side compartment back.


- 40" high bodies have (3) drawer unit with 8.5" high tunnel under drawers.
- 36" and 37.25" high bodies have (2) drawer unit with 8" high tunnel under drawers.
- W and D54 models have 69" long drawers with 46" extension. All other models have 59" long drawers with 41" extension.
- Drawers are 24" wide (20" clear) and 3" high, and are removeable.
- Ball bearing drawer guides for ease of movement.
- Drawers are 250 lb. rated.
- Drawers have hemmed dividers on 4" centers.



FOR MORE INFORMATION ON PLUS 50 BODIES GO TO:

www.knapheide.com>Products>Service Body >Specifications>Plus 50 Series Service Bodies

COMPARTMENTATION



700 Series has 500 Series configuration on curb side and 600 Series on street side. 500 and 700 Series available on most models.

STANDARD SHELVING

- Two (2) adjustable divider shelves & dividers, street & curb side front vertical comp. (1st & 2nd vertical 132" bodies only)
- One (1) adjustable divider shelf & dividers, street and curb side second front vertical compartment (157" bodies)
- One (1) adjustable divider shelf & dividers, street and curb side full height rear vertical compartment
- One (1) adjustable divider shelf & dividers, curb side horizontal compartment



FOR MORE INFORMATION ON BODY MODELS AND SPECIFICATIONS GO TO:


www.knapheide.com>Products>Service Body >Specifications>Standard Service Bodies

OPTIONALS


WEB INFO

FOR MORE INFORMATION ON TAPERED CANOPY ROOFS GO TO:


www.knapheide.com>
Products>Service Body>
Specifications>
Tapered Canopy Roofs



Tapered Canopy Roof



Master Locking System




Receiver Hitch


WEB INFO

FOR MORE INFORMATION ON STANDARD CANOPY ROOFS, GO TO:


www.knapheide.com>
Products>Service Body>
Specifications>
Canopy Roofs



Standard Canopy Roof



Cargo Tie-Downs




Spare Tire Retainer


WEB INFO

FOR MORE INFORMATION ON TELESCOPIC SLIDING ROOFS, GO TO:


www.knapheide.com>
Products>Service Body>
Specifications>
Telescopic Sliding Roofs




Telescopic Sliding Roof




Pull-Out Divider Shelf




Pull-out Tray (500 lb. cap.)



Corner Mount Crane Kit
(16,000 ft. lb. rated)





Raised Front Compartment




Bottle Gas Retainer


Aluminum Trim Kit




Aluminum Rock Guards




Aluminum Fuel Fill Cup Ford




Overhead Ladder Rack




Shelf Liner




Multiple Dividers




Side Mount Ladder Rack




Interior Compartment Lighting




Interior Light Guard




Galva-Grip Bumper




Galva-Grip w/ Recess




Galva-Grip w/ Ball Plate




Tailshelf




Cone Holder




Fuel Hose Guard




Water Cask Stand




Shovel Box




Rear Access Door with Full Length Shelf




3, 4 & 6 Drawer Cabinets




9 & 18 Drawer Cabinets




Book Rack




Bottle Gas Retainer Cargo Area




Louver Vents




Treadplate Overlay Compartment Tops




Treadplate Overlay Compartment Backs




Stainless Steel Rotary Latch




T-Handle Twist Latch
Single or 3-point locking, Galvanneal or Stainless




Wheel Chock




Fender Skirt Cutout for Wheel Chock




Combination Stationary and Swivel Hooks




Material Rail with Sliding Hooks




Vice Bracket and Front Pipe Support



Mechanics Vice Bracket



LED Lights



Grab Handle



FOR MORE INFORMATION
ON THESE AND MORE
OPTIONS GO TO:

www.knapheide.com>Products
>Service Bodies>Option Fit